



ENERGY STAR® Ductless Air-Source Heat Pump

Rebate: \$1,900

AHRI #	Outdoor Model	Indoor Model	EER	SEER	HSPF	COP
6936995	AOU9RLFF	AGU9RLF	16.00	26.00	12.60	1.95
6937309	AOU9RLFFH	AGU9RLF	16.00	26.00	12.40	1.82
6961728	AOU9RLFW1	ASU9RLF1	13.80	23.00	11.00	1.97
8703349	AOU9RLS3H	ASU9RLS3Y	18.00	33.00	14.00	1.95
6937310	AOU12RLFFH	AGU12RLF	13.10	22.70	11.30	1.89
6961729	AOU12RLFW1	ASU12RLF1	12.50	22.00	11.00	2.01
6936997	AOU15RLFF	AGU15RLF	12.50	20.30	11.20	1.86
6937311	AOU15RLFFH	AGU15RLF	12.50	20.30	11.00	1.77
7937663	AOU18RLB	AGU18RLB	12.50	19.00	10.60	2.07
4359504	AOU18RLXFW	AGU18RLF	13.30	19.20	10.00	n/a
4359511	AOU24RLXFW	ASU24RLF	12.50	18.00	10.00	n/a
8718545	AOU24RLXFW1	ASU24RLF	12.50	19.50	10.60	2.15
8779046	AOU24RLXFWH	ASU24RLF	12.50	19.50	10.50	2.06
8912454	AOU30RLXEH	ASU30RLE	12.50	18.70	11.80	2.06

Must be a new heat pump that is ENERGY STAR® certified, or that meets the CEE Tier-1 qualification (i.e. has a minimum efficiency rating of SEER 15/HSPF 8.5/EER 12.5); Must have an interior unit that is compatible with the exterior unit in accordance with OEM specifications; May be a new installation where an individual is building a new custom home or a replacement of an existing system.

ENERGY STAR® Ductless Multiport Air-Source Heat Pump

Rebate: \$2,500 plus \$250 for each additional interior unit (up to a maximum of \$4,250)

AHRI #	Outdoor Model	Indoor Model	EER	SEER	HSPF	COP
6998278	AOU18RLXFZ	ASU12RLF1 + ASU7RLF1	12.50	18.00	9.00	
6998277	AOU18RLXFZ	ASU12RLF1 + ASU9RLF1	12.50	18.00	9.00	
4651511	AOU18RLXFZ	ASU7RLF + ASU12RLF	12.50	18.00	9.00	
4651512	AOU18RLXFZ	ASU9RLF + ASU12RLF	12.50	18.00	9.00	
6998276	AOU18RLXFZ	ASU9RLF1 (2)	12.50	18.00	9.30	
4397408	AOU18RLXFZ	non-ducted indoor units	12.50	18.00	9.30	
8063924	AOU18RLXFZH	mixed ducted and non-ducted indoor units	12.95	20.25	9.65	
8033584	AOU18RLXFZH	non-ducted indoor units	13.50	21.50	10.30	1.85
6998279	AOU24RLXFZ	ASU9RLF1 + ASU7RLF1 (2)	12.50	18.00	9.50	
4397405	AOU24RLXFZ	non-ducted indoor units	12.50	18.00	9.50	
8063925	AOU24RLXFZH	mixed ducted and non-ducted indoor units	12.70	19.00	9.65	
8912450	AOU36RLXFZH	mixed ducted and non-ducted indoor units	12.50	19.00	9.80	

Must be a new heat pump that is ENERGY STAR® certified, or that meets the CEE Tier-1 qualification (i.e. has a minimum efficiency rating of SEER 15/HSPF 8.5/EER 12.5); Must have an interior unit that is compatible with the exterior unit in accordance with OEM specifications; and Must have 2 or more interior units. May be a new installation where an individual is building a new custom home or a replacement of an existing system.

ENERGY STAR® Cold Climate Ductless Air-Source Heat Pump

Rebate: \$2,500

AHRI #	Outdoor Model	Indoor Model	EER	SEER	HSPF	COP
5751311	AOU9RLFC	AUU9RLF	14.50	24.00	13.00	2.41
8004699	AOU9RLS3	ASU9RLS3	18.00	33.00	14.20	2.09
8703348	AOU9RLS3	ASU9RLS3Y	18.00	33.00	14.20	2.09
5751314	AOU12RLFC	ARU12RLF	12.80	20.00	11.50	2.18
5751313	AOU12RLFC	AUU12RLF	12.80	21.90	12.20	2.18
6936996	AOU12RLFF	AGU12RLF	13.10	22.70	11.60	2.02
7993242	AOU12RLS3	ASU12RLS3	15.20	29.30	14.00	2.30
8703350	AOU12RLS3	ASU12RLS3Y	15.20	29.30	14.00	2.30
7993244	AOU12RLS3H	ASU12RLS3	15.20	29.30	13.80	2.15
8703506	AOU12RLS3H	ASU12RLS3Y	15.20	29.30	13.80	2.15
7993243	AOU15RLS3	ASU15RLS3	13.90	25.30	13.40	2.18
8703507	AOU15RLS3	ASU15RLS3Y	13.90	25.30	13.40	2.18
7993245	AOU15RLS3H	ASU15RLS3	13.90	25.30	13.30	2.07
8703508	AOU15RLS3H	ASU15RLS3Y	13.90	25.30	13.30	2.07
8718495	AOU18RLXFW1	ASU18RLF	13.30	20.00	10.50	2.43
8779045	AOU18RLXFWH	ASU18RLF	13.30	20.00	10.40	2.30

Must have a minimum efficiency rating of SEER 15 , HSPF 8.5, and EER 12.5. Must meet the requirements in NEEP's Cold Climate Air-Source Heat Pump Specification (NEEP, 2017 or more recent); and also meet the following two requirements: (a) COP at -15° C (5° F) greater than 2.0 at maximum capacity operation; and (b) maintain a maximum capacity at -15° C (5° F) that is greater than or equal to 55% of maximum capacity at 8.3° C (47° F)

ENERGY STAR® Cold Climate Ductless Multiport Air-Source Heat Pump

Rebate: \$3,000 plus \$400 for each additional interior unit (up to a maximum of \$5,800)

AHRI #	Outdoor Model	Indoor Model	EER	SEER	HSPF	COP
8033586	AOU24RLXFZH	non-ducted indoor units	13.30	20.00	10.30	2.09
8908615	AOU36RLXFZH	non-ducted indoor units	13.00	20.00	10.30	2.02

Must have a minimum efficiency rating of SEER 15 , HSPF 8.5, and EER 12.5. Must meet the requirements in NEEP's Cold Climate Air-Source Heat Pump Specification (NEEP, 2017 or more recent); and also meet the following two requirements: (a) COP at -15° C (5° F) greater than 2.0 at maximum capacity operation; and (b) maintain a maximum capacity at -15° C (5° F) that is greater than or equal to 55% of maximum capacity at 8.3° C (47° F). Must have two or more interior units.

Fujitsu Model Nomenclature

Model		18	R	L	X	F	Z	H
ASU	Wall Mount	BTUs in thousands	R= Reverse cycle heat pump	L= Inverter	L= Inverter	S= Super efficient	Z= Zone	H= High heating
ARU	Slim Duct		C= Cooling only	C= Cassette	X= Extended line set	X= Extended line set	W= Wall mount only	
AUU	Cassette Mount			S= Ceiling susp.	S= Super efficient	F= HFI (when followed by a "W" or "Z") or Floor Mount	H= High heating	
AGU	Floor Mount			U= Universal	F= HFI	H= High heating		
AOU	Outdoor Unit				B= 230V	W= Wall mount only		
ABU	Universal Mount Ceiling Susp.					C= Compact cassette or slim duct		
						B= 230V		
						E= Engineering series		